

What Is Claimed Is:

1 1. A method for facilitating magnification of a target region within a
2 field of view through use of a magnifier, wherein a magnification level of the
3 magnifier is coupled to motion of the magnifier, the method comprising:
4 receiving a movement command from a user to move a location of the
5 magnifier within the field of view; and
6 in response to the movement command, reducing the magnification factor
7 of the magnifier, so that a larger portion of the field of view becomes visible
8 within the magnifier to facilitate navigating the magnifier to a desired location.

1 2. The method of claim 1, further comprising:
2 receiving a cessation of movement command from the user indicating that
3 movement of the magnifier has ceased; and
4 in response to the cessation of movement command, restoring the
5 magnification factor of the magnifier to an original magnification factor.

1 3. The method of claim 2, wherein the movement command is a
2 mouse drag event and the cessation of movement command is a mouse button up
3 event.

1 4. The method of claim 1, wherein when the magnification factor is
2 reduced, the method further comprises visually indicating a boundary of a
3 magnified region within the magnifier, wherein the magnified region becomes
4 visible in magnified form when the magnification factor is restored to an original
5 magnification factor.

1 5. The method of claim 4, wherein visually indicating the boundary of
2 the magnified region involves modifying the appearance of regions within the
3 magnifier that are located outside of the magnified region, wherein the
4 modification involves grey shading, modifying color or modifying translucence.

1 6. The method of claim 1, wherein reducing the magnification factor
2 involves reducing the magnification factor to one so that the magnifier no longer
3 obscures portions of the field of view located under the magnifier.

1 7. The method of claim 1, wherein the movement command is a
2 command that selects the magnifier in preparation for moving the magnifier.

1 8. The method of claim 1, wherein reducing the magnification factor
2 involves reducing the magnification factor by a factor that is proportionate to a
3 drag speed of the magnifier, whereby the faster the magnifier is moved, the more
4 the magnification level is reduced.

1 9. The method of claim 1, wherein the magnifier is a window that the
2 user can move about the field of view.

1 10. The method of claim 1, wherein the field of view is a display for a
2 computational device.

1 11. A computer-readable storage medium storing instructions that
2 when executed by a computer cause the computer to perform a method for
3 facilitating magnification of a target region through use of a magnifier, wherein a

4 magnification level of the magnifier is coupled to motion of the magnifier within
5 a field of view, the method comprising:
6 receiving a movement command from a user to move a location of the
7 magnifier within the field of view; and
8 in response to the movement command, reducing the magnification factor
9 of the magnifier, so that a larger portion of the field of view becomes visible
10 within the magnifier to facilitate navigating the magnifier to a desired location
11 within the field of view.

1 12. The computer-readable storage medium of claim 11, wherein the
2 method further comprises:
3 receiving a cessation of movement command from the user indicating that
4 movement of the magnifier has ceased; and
5 in response to the cessation of movement command, restoring the
6 magnification factor of the magnifier to an original magnification factor.

1 13. The computer-readable storage medium of claim 12, wherein the
2 movement command is a mouse drag event and the cessation of movement
3 command is a mouse button up event.

1 14. The computer-readable storage medium of claim 11, wherein when
2 the magnification factor is reduced, the method further comprises visually
3 indicating a boundary of a magnified region within the magnifier, wherein the
4 magnified region becomes visible in magnified form when the magnification
5 factor is restored to an original magnification factor.

1 15. The computer-readable storage medium of claim 14, wherein
2 visually indicating the boundary of the magnified region involves modifying the
3 appearance of regions within the magnifier that are located outside of the
4 magnified region, wherein the modification involves grey shading, modifying
5 color or modifying translucence.

1 16. The computer-readable storage medium of claim 11, wherein
2 reducing the magnification factor involves reducing the magnification factor to
3 one so that the magnifier no longer obscures portions of the field of view located
4 under the magnifier.

1 17. The computer-readable storage medium of claim 11, wherein the
2 movement command is a command that selects the magnifier in preparation for
3 moving the magnifier.

1 18. The computer-readable storage medium of claim 11, wherein
2 reducing the magnification factor involves reducing the magnification factor by a
3 factor that is proportionate to a drag speed of the magnifier, whereby the faster the
4 magnifier is moved, the more the magnification level is reduced.

1 19. The computer-readable storage medium of claim 11, wherein the
2 magnifier is a window that the user can move about the field of view.

1 20. The computer-readable storage medium of claim 11, wherein the
2 field of view is a display for a computational device.

1 21. An apparatus that facilitates magnification of a target region within
2 a display, comprising:
3 a computational device;
4 the display within the computational device;
5 a magnifier within the display;
6 a user interface that is configured to receive a movement command from a
7 user to move a location of the magnifier within the display; and
8 wherein in response to the movement command, the magnifier is
9 configured to reduce a magnification factor associated with the magnifier, so that
10 a larger portion of the display becomes visible within the magnifier to facilitate
11 navigating the magnifier to a desired location within the display.

1 22. The apparatus of claim 21,
2 wherein the user interface is additionally configured to receive a cessation
3 of movement command from the user indicating that movement of the magnifier
4 has ceased; and
5 wherein in response to the cessation of movement command, the magnifier
6 is configured to restore the magnification factor to an original magnification
7 factor.

1 23. The apparatus of claim 22, wherein the movement command is a
2 mouse drag event and the cessation of movement command is a mouse button up
3 event.

1 24. The apparatus of claim 21, wherein when the magnification factor
2 is reduced, the magnifier is configured to visually indicate a boundary of a
3 magnified region within the magnifier, wherein the magnified region becomes

4 visible in magnified form when the magnification factor is restored to an original
5 magnification factor.

1 25. The apparatus of claim 24, wherein while visually indicating the
2 boundary of the magnified region, the magnifier is configured to modify the
3 appearance of regions within the magnifier that are located outside of the
4 magnified region, wherein the modification involves grey shading, modifying
5 color or modifying translucence.

1 26. The apparatus of claim 21, wherein the magnifier is configured to
2 reduce the magnification factor to one, so that the magnifier no longer obscures
3 portions of the display located under the magnifier.

1 27. The apparatus of claim 21, wherein the movement command is a
2 command that selects the magnifier in preparation for moving the magnifier.

1 28. The apparatus of claim 21, wherein the magnifier is configured to
2 the magnification factor by a factor that is proportionate to a drag speed of the
3 magnifier, whereby the faster the magnifier is moved, the more the magnification
4 level is reduced.

1 29. The apparatus of claim 21, wherein the magnifier is a window that
2 the user can move about the display.